




מפזר אויר סטריפ עם תאורה חכמה 240-32




1	מסגרת חיצונית 2400-320 מ"מ (12.59-94.5 אינצ')
2	גודל חריץ 30 מ"מ (1.18 אינצ') בזווית של 45 מעלות
	משקל מוצר = 8ק"ג (23.14 ליברות)

מרווח חריץ	שטח אפקטיבי	מהירות יציאה FPM	מהירות יציאה M/S	ספיקה למטר CFM	ספיקה למטר m ³ /h
30mm	0.1437	150	0.75	230.6385	391.8548115
30mm	0.1437	200	1	307.518	522.473082
30mm	0.1437	250	1.25	384.3975	653.0913525
30mm	0.1437	300	1.5	461.277	783.709623
30mm	0.1437	400	2	615.036	1044.946164
30mm	0.1437	500	2.5	768.795	1306.182705
30mm	0.1437	600	3	922.554	1567.419246

רמת רעש > 30 דציבלים



מפזר אויר סטריפ עם תאורה חכמה 120-32



1	מסגרת חיצונית 1200-320 מ"מ (47.2-12.59 אינצ')
2	גודל חריץ 30 מ"מ (1.18 אינצ') בזזית של 45 מעלות
	משקל מוצר = 4 ק"ג (11.57 ליברות)

מרווח חריץ	שטח אפקטיבי	מהירות יציאה FPM	מהירות יציאה M/S	ספיקה למטר CFM	ספיקה למטר m ³ /h
30mm	0.07185	150	0.75	115.31	196
30mm	0.07185	200	1	154	261
30mm	0.07185	250	1.25	192	326.5
30mm	0.07185	300	1.5	230	391.8
30mm	0.07185	400	2	307.5	522.4
30mm	0.07185	500	2.5	384.4	653
30mm	0.07185	600	3	461.2	783.7

רמת רעש > 30 דציבלים



*** ניתן לבחור את כמות הנורות ומיקום על המפזר אויר ע"פ דרישה**

נגישות לגוף התאורה

לטיפול שוטף ותחזוקת גוף התאורה יש לעלות את החלק הפנימי של המפזר אויר כלפי מעלה לסובב 90 מעלות ולהוריד כלפי מטה.

נתוני תאורה





White and Color Ambiance GU10 spot

- 6.5 W max operation power
- 0.45 W max standby power
- GU10 form factor
- 25,000 Hrs lifetime
- <2 sec start up from wall switch
- <0.5 sec start up from standby
- Software upgradable
- Input voltage 220V-240V
- Lamp size: 50*71mm

White and Color Ambiance GU10 Lumen Output

- 300 lm @ 4000K
- 210 lm @ 3000K
- 145 lm @ 2000K
- 230 lm @ 6500K
- 46 lm/W luminous efficacy @ 4000K
- >80 CRI from 2200-4000K
- Default start-up 195 lm @ 2700K

White and Color Ambiance GU10 Light Output

- Functional white light
- 16 million colors
- All shades of white, from warm to cold color temperatures
- Dimming only via RF down to 5% (no external dimmer)
- Beam angle -38°

Power output



- 100-240 V AC / 50-60Hz
- Output voltage: 5 V DC 600mA
- Standby power: 0.1 W max

Environmental



- Operational temperature: 14°F- 113°F
- Operational humidity: 5% < H < 95% (non condensing)

What's supported



- iOS 8.0 and upwards on iPhone 4S, 5, 5S, 6, 6 Plus
- For Apple Home Kit compatibility only iOS 9.0
- iPad 2, 3rd and 4th generation
- iPad Air 1, 2
- iPad Mini 1, 2, 3
- iPod touch 5th generation

Also tested on



- Android 2.3 and upwards on:
- Galaxy S2, S3, S4, S5
- Google Nexus 5, Motorola Nexus 6, Google Nexus 7
- Note, Note 2, Note 3, Note 4
- OnePlus One
- HTC One
- Sony Xperia Z3

Guarantee



2 years